2026 PRODUCT CATALOG

BEARCAT CRARY



CH5627

UNLEASH THE POWER.™



CRARY BEAR CAT®

Crary® Bear Cat® manufactures specialized, premium outdoor power equipment, marketed through strategic partnerships and supported by our team's ongoing commitment to excellent customer service, support and innovation. Whether you are a homeowner, a hobby farmer, a commercial landscaper, government operator or have a project with wood, leaf and grass material to check off your to-do list, Crary Bear Cat machines are here to get the job done.

Crary Bear Cat machines are engineered and designed right here in the USA with efficiency, performance and power at the top of the list. We stand behind our equipment, from conception to job completion, by encouraging innovation and providing superior customer service. Backed by the one of the industry's best-in-class warranties, Crary Bear Cat is here to help you **UNLEASH THE POWER.™**

237 12th St. NW | West Fargo, ND 58078

888.625.4520

service@bearcatproducts.com
BEARCATPRODUCTS.com

@crarybearcat

***3 YEAR CONSUMER, 1 YEAR COMMERCIAL, 6 MONTH RENTAL**

"Consumer" defined as: complete unit for residential or non-income producing use.

"Commercial" defined as: complete unit for commercial, institutional, agricultural, horticultural or income producing use.

"Rental" defined as: complete unit for rental purposes to produce income.

*U.S. and Canada only.

ENGINE WARRANTY:

Engines are warrantied separately by engine manufacturer. For Engine Warranty information or service needs regarding the engine of your machine, record the serial number of the engine and refer to the Engine Owner's Manual for terms and conditions of the manufacturer or see your nearest dealer.

Batteries for machines are sold separately.

WARNING: Cancer and Reproductive Harm. For more information, visit *P65Warnings.ca.gov*

WARRANTY



3 YEAR

CONSUMER WARRANTY

Backed by top notch customer service, Crary Bear Cat equipment is supported with an ever-expanding dealer and service network.

1 YEAR

COMMERCIAL WARRANTY

Bring the best to your job site with comfort knowing your Crary Bear Cat equipment is backed with a 1-year commercial warranty.

6 MONTH

RENTAL WARRANTY

Proudly offer your customers commercial grade equipment with peace of mind that your investment is protected with Crary Bear Cat's warranty program.

TIMELINE

Explore our timeline to see the history of Crary® Bear Cat®. We've been engineering and manufacturing outdoor power equipment for over 35 years.

1988: First Crary Bear Cat® Snow Thrower Built & Sold

1990: First Chipper/Shredder Sold

1991: First Export Sales, Launch of PTO Chippers, Chip-n-Vac

1994: Launch of Stump Grinders, Turn Table Chippers

1996: Launch of 8" & 9" Chippers

1998: Launch of EZ Trim Mower, First International Sales Representation

2000: Launch of 5" Chippers & Debris Loaders

2001: Launch of Skid Steer Chippers

2002: Launch of Bear Vac Pro

2003: Cantilever Rotor Design 4" & 6" Chippers

2004: Launch of 12" Chipper

2006: ECHO® Inc Acquires Crary® Bear Cat® - ECHO® Bear Cat® Is Born

2007: Launch of Log Splitters

2011: CE Approval of Domestic Models, Launch of 4" Chippers

2013: Redesigned Debris Loader Models, DL8 & DL10

2016: Digital Display Controller (DDC) on Chippers

2019: Redesigned Stump Grinder Family

2020: ECHO® Bear Cat® is Re-branded to Crary® Bear Cat®

2021: Launch of FC400 & CH1015H

2025: Crary Bear Cat proudly celebrates over 35 years supporting OPE customers.

UNLEASH THE POWER™

888.625.4520
BEARCATPRODUCTS.COM

TABLE OF CONTENTS



CH6627H

06. CHIPPERS

10. PTO/3 PT ATTACHMENTS

14. SKID STEER CHIPPER

16. STUMP GRINDERS

18. ACCESSORIES

21. SPECIFICATIONS

24. DEALER MAP

CHIPPERS

Crary® Bear Cat® engineers and manufactures the strongest lineup of Chippers in the USA. With a wide range of models, there is sure to be one that fits your needs. On top of all this is a top notch customer service. Find out which one will help you get the job done.



- 4" to 9" Chipping Capacities
- Solid Welded Steel Construction
- Gravity & Hydraulic Feed Designs
- Powerful Gas & Diesel Engine Options
- 2" Coupler Standard on All Towable Chippers
- 4-Sided Adjustable Anvil (Except FC400)



WATCH CHIPPERS IN ACTION:

DISCHARGE TUBE
360 degrees of rotation with deflector to control chips.

DSE ENGINE CONTROLLER
Controls start up and shutdown with integrated hour meter

DDC CONTROLLER
Controls feed roller with built-in troubleshooting

HITCH POLE
Length of hitch pole can be adjusted for optimum towing performance

WIDE FEED

SAFETY BARS
Safety bars stop the feed roller in the event of an emergency

WARNING: Cancer and Reproductive Harm
www.P65Warnings.ca.gov

FC400
4" CHIPPING CAPACITY

With the powerful Crary® Bear Cat® FC400 Chipper, taking care of tree limbs and prunings is quick and simple. Well balanced and easy to handle, it quickly takes care of branches up to 4".

- 4 Reversible Chipping Blades
- Briggs & Stratton® XR Pro 420cc Engine
- 15.25" x 0.625", 37 lbs. Rotor



CH4420
4.5" CHIPPING CAPACITY

The CH4420 towable chipper handles branches up to 4". This compact and powerful chipper is perfect for the first time chipper buyer, small acreage owner or rental application.

- Cantilever 14" x 1", 49 lbs. Rotor
- 2 Reversible Chipping Blades
- Briggs & Stratton® XR Pro 420cc Engine



CH5627
5" CHIPPING CAPACITY

With the reliable and towable CH5627 Chipper, taking care of tree limbs and prunings is quick and simple. Tree services and landscaping companies use the CH5627 Chipper for jobsite cleanup, power line clearing and easement cleaning.

- 4 Reversible Chipping Blades
- Briggs & Stratton Vanguard® 627cc
- 20" x 1.25", 140 lbs. Rotor



CH6627H
6" CHIPPING CAPACITY. 13" WIDE FEED OPENING

This 6" capacity commercial chipper is hydraulically fed and features a unique cantilever mounted rotor. The CH6627H is a great fit for tree and landscape service operators as well as the perfect mid-size chipper for municipalities and rental companies.

- Briggs & Stratton Vanguard® 627cc
- Digital Display Control System
- Cantilever 26" x 1", 165 lbs. Rotor





CH8993H

9" CHIPPING CAPACITY

The CH8993H boasts a 9" chipping capacity with a fully rotating turntable mount. Easily towable, the CH8993H is powerful, operator-friendly, and efficient.

- Briggs & Stratton Vanguard® 993cc
- 4 Reversible Chipping Blades
- 360° Table Rotation Features 14 Lockable Positions
- Digital Display Control System



CH911DH

9" CHIPPING CAPACITY

There isn't much that can stand up to the mighty CH911DH. With a 9" chipping capacity and easy-to-use features, you'll make piles of chips in no time.

- Kubota Diesel 1.1L
- 30" x 1.25", 275 lbs. Rotor
- Digital Diesel Engine Control
- Digital Display Control System



PTO/3PT ATTACHMENTS

Using a Crary® Bear Cat® PTO chipper turns your tractor into a versatile chipping machine. With a wide selection of PTO machines ready to go to work for you, it's time to match your tractor with a Crary Bear Cat Chipper and Chipper/Shredder.



- 4.50" to 9" Chipping Capacities
- Up to 3/4" Shredding Capacity
- Gravity & Hydraulic Feed Designs
- All PTO Chippers have 6-Spline Input Shaft
- Chippers & Chipper/Shredders Available
- Category I Three Point Frames That Are Quick Hitch Compatible
- 4-Sided Adjustable Anvil (Except SC5540B & SC5540)

888.625.4520
BEARCATPRODUCTS.COM

CH954OH




WATCH PTO/3PT ATTACHMENTS CHIPPERS IN ACTION:

DISCHARGE TUBE
360 degrees of rotation with deflector to control chips.

HYDRAULIC FEED
Allows for efficient chipping and increases production

COMPATIBILITY
Category 1 Quick Hitch With a 540 6 Spline PTO Shaft



DOUBLE E STOPS
Convenient emergency stop buttons

DDC CONTROLLER
Controls feed roller with built-in troubleshooting

CAPACITY
Maximum feed size 9".
31" x 31" chute opening.
9" x 9" chute throat

WARNING: Cancer and Reproductive Harm
www.P65Warnings.ca.gov

CH45540
4.5" CHIPPING CAPACITY

The CH45540 is the perfect match for your compact tractor. For use on tractors with PTO horsepower ratings from 20 hp to 35 hp.

- Cantilever 14" x 1", 49 lbs. Rotor
- Gravity/Self Feed System
- 2 Reversible Chipping Blades



CH5540H
5" CHIPPING CAPACITY

The CH5540H 5" capacity PTO Chipper is hydraulically fed for easy operation and features a Digital Display Controller (DDC). For use on tractors with PTO horsepower ratings from 25 hp to 45 hp.

- 20" x 1.25", 140 lbs. Rotor
- Hydraulic Feed System
- Double E-Stops Standard
- 4 Reversible Chipping Blades



SC5540
5" CHIPPING CAPACITY | 3/4" SHREDDING CAPACITY

If you have more acreage, you need more power to keep up with tree clearing, trimming and debris handling. Which makes the SC5540 the perfect machine for the job. For use on tractors with PTO horsepower ratings from 25 hp to 45 hp.

- 19" x 0.75", 112 lbs. Rotor
- Gravity/Self Feed System
- 4 Reversible Chipping Blades
- 36 Reversible Shredding Knives



CH5540
5" CHIPPING CAPACITY

The CH5540 is a highly efficient and well-balanced 5" capacity PTO Chipper and perfect for homeowners with acreage, or rental and landscaping companies. For use on tractors with PTO horsepower ratings from 25 hp to 45 hp.

- 20" x 1.25", 140 lbs. Rotor
- Gravity/Self Feed System
- 4 Reversible Chipping Blades



888.625.4520
BEARCATPRODUCTS.COM



CH8540
9" CHIPPING CAPACITY

The CH8540 boasts a 9" chipping capacity and 360 degree rotating discharge chute. For use on tractors with PTO horsepower ratings from 35 hp to 60 hp.

- 30" x 1.25", 275 lbs. Rotor
- Gravity/Self Feed System
- 4 Reversible Chipping Blades



CH9540H CE
9" CHIPPING CAPACITY

The CH9540H has a generous 9" chipping capacity and features a Digital Display Controller (DDC). The CH9540HXT model provides a streamlined orchard discharge chute. For use on tractors with PTO horsepower ratings from 35 hp to 60 hp.

- 30" x 1.25", 275 lbs. Rotor
- Hydraulic Feed System
- Digital Display Control System
- Double E-Stops Standard



WARNING: Cancer and Reproductive Harm
www.P65Warnings.ca.gov

STUMP GRINDERS

SGACE: Weekend warrior: Backyard and homeowner use.
SGPRO: Business owner. Commercial use for part-time stump removal projects.



The Stump Grinders are available as the SGACE and SGPRO. These models feature a strong, 10-gauge steel body and eight strategically positioned carbide Greenteeth® on the industry class' thickest rotor. The Stump Grinder family bodies are designed for easy access belt inspection and service, and are able to pass easily through a standard door. Plus, operator friendly features include easy-to-reach controls and an ergonomic handlebar, adjustable to five positions. Designed for easy maneuverability, the handlebar is fully collapsible for transport and storage.

- Easy Access Belt Inspection & Service
- 10-Gauge Steel Body
- Belt-Drive with Centrifugal Clutch



WATCH STUMP GRINDERS IN ACTION:

SGACE
10" DIAMETER, 4,000 RPM, 21.6 LBS. ROTOR

CLEAN UP.™

The SGACE is perfect for your backyard, lake property, and more. Perfect for an owner with acreage, the SGACE makes a 10" above ground and 4" below ground cut.

- Briggs & Stratton® XR Pro 208cc
- 25" Overall Width
- 13/500 x 6, 13" Diameter Pneumatic
- 8 Greenteeth® 500 Series Green (Rocky)
- *Bestorq® BX50-X5 Single-banded Belt with Centrifugal Clutch



SGPRO
14" DIAMETER, 2,900 RPM, 34.5 LBS. ROTOR

Crary Bear Cat's most popular model, the SGPRO is a heavy-duty and powerful Stump Grinder that is perfect for landscapers, municipalities and rental applications. The SGPRO makes an 11" above ground and 5" below ground cut.

- Honda GX 390cc
- 25" Overall Width
- 13/500 x 6, 13" Diameter Pneumatic
- 8 Greenteeth® Wearsharp™ (Dirt)
- *Bestorq® 2BX59-X5 Double-banded Belt with Centrifugal Clutch

*Featuring BESTORQ® X5 V-belts made with EPDM compound for improved belt life.

OPERATOR FRIENDLY BRAKE LEVER
Standard on all models.

EASY-TO-REACH CONTROLS
Standard on all models.

8 CARBIDE GREENTEETH®
Standard on all models.

5-POSITION HANDLE
Fully collapsible handle for storage and transporting. Standard on all models.

13" PNEUMATIC TIRES
Larger, wider tires for handling. Standard on all models.



WARNING: Cancer and Reproductive Harm
www.P65Warnings.ca.gov

POWER AT THE PUSH OF A BUTTON



The Crary Bear Cat Digital Display Controller (DDC) on select hydraulic models means simple operation and maintenance; less down-time for you to get more done.

- Movable Digital Screen for Easy Viewing
- Troubleshooting Screens to Provide In-Field Help
- Hydraulic System Diagnostic Capabilities
- 180° Rotation for Operational Flexibility
- Pre-programmed with English, Spanish, French, Portuguese, Norwegian, Russian and Chinese

CRARY® BEAR CAT® CHIPPING BLADES

Our chipping blades are made from high strength, heat-treated tool steel to ensure the sharpest, longest lasting edge possible!





ACCESSORIES: CHIPPERS, PTO/3PT ATTACHMENTS




SC5540 shown with two speed blower and vacuum hose kit.

ONE-SPEED BLOWER

P/N: 70487
4 blade fan with 4" diameter discharge

TWO-SPEED BLOWER

P/N: 71110
8 blade fan with 6" diameter discharge



CHIPPER BLADE KIT

P/N: 78360-00
CH4420, CH45540 & CH450H

ACCESSORIES: CHIPPERS, PTO/3PT ATTACHMENTS



CHIPPER BLADE KIT

P/N: 72493
SC5540, CH5627, CH5540H & CH5540



CHIPPER BLADE KIT

P/N: 78361-00
CH611DH, CH6627H, CH8993H, CH911DH, CH8540, CH9540H, CH9540HM, CH9540HP & CH9540HXT



2 5/16" COUPLER

P/N: 14519-00
CH611DH, CH6627H, CH8993H, CH911DH & CH1015H



4" x 4.50" DISCHARGE CHUTE

P/N: 74634-00
CH4420, CH45540 & CH450H



LOW PROFILE DISCHARGE CHUTE

P/N: 71725-00
CH8993H, CH911DH, CH9540H, CH9540HM, CH9540HP & CH1015H



ENGINE GUARD KIT

P/N: 70135-00
CH6627H



ELECTRIC BRAKES

P/N: 71072-00
CH911DH



FINE CHIP ROTOR KIT

P/N: 71731-00
8" & 9" Models

ACCESSORIES: CHIPPERS, PTO/3PT ATTACHMENTS



PINTLE HITCH

P/N: 14900-00
6", 8", 9" & 10" Towable Chippers



PTO DOLLY KIT (SET OF 4)

P/N: 71615-00
All PTO Models




PTO STAND EXTENSION KIT

P/N: 71605-00
CH9540H

SC5540 CHIPPER/SHREDDER SCREENS




Fine 0.375" (0.95 cm)
P/N: 70703-10




Medium 0.75" (1.9 cm)
P/N: 70531-10



Coarse 1.50" (3.8 cm) (Standard)
P/N: 70332-10




Wet Debris
P/N: 70559-10



SHREDDER KNIVES KIT

P/N: 77613-00



SHREDDER KNIVES KIT

P/N: 70972
SC5540 & SC5540B



WARNING: Cancer and Reproductive Harm
www.P65Warnings.ca.gov



ACCESSORIES: STUMP GRINDERS



2" (50 MM) COUPLER KIT

P/N: 78219-00
(For use with P/N: 78218-00)
All Stump Grinder Models



DURA-TIRE™ KIT

P/N: 78184-00
All Stump Grinder Models



BELT TENSION PEN KIT

P/N: 78357-00
All Stump Grinder Models



SG FAMILY TOW BAR KIT

P/N: 78218-00
All Stump Grinder Models



GREENTEETH® 500 SERIES GREEN (ROCKY SOIL) KIT

P/N: 78182-00
SGACE

ACCESSORIES: STUMP GRINDERS



GREENTEETH 500 SERIES RED (SAND/CLAY) KIT

P/N: 78183-00
SGACE



GREENTEETH WEARSHARP™ (DIRT) KIT

P/N: 78115-00
SGPRO



GREENTEETH 700 SERIES RED (SAND/CLAY) KIT

P/N: 78121-00
SGPRO



GREENTEETH 700 SERIES GREEN (ROCKY SOIL) KIT

P/N: 78116-00
SSGPRO



SG FAMILY SIDE FLAPS KITS

P/N: 78287-00
SGACE

P/N: 78225-00
SGPRO



TRAILER

P/N: 78283-00
All Stump Grinder Models

888.625.4520
BEARCATPRODUCTS.COM

SPECIFICATIONS

CHIPPERS

MODEL NAME	ENGINE	STARTER TYPE	MAX. CHIPPING CAPACITY	MAX. SHREDDING CAPACITY	CHUTE OPENING	CHUTE THROAT	SHREDDER CHUTE OPENING	ROTOR SIZE/ WEIGHT	HEAT-TREATED CHIPPING BLADES	SHREDDING KNIVES	BANDED BELT DRIVE TYPE	FEED SYSTEM	HYDRAULIC CONTROLLER	DIMENSIONS (LXWXH)	WHEELS/TIRES	WHEEL BASE	WEIGHT
FC400	Briggs & Stratton® XR Pro 420cc	Recoil	4"	N/A	10" x 10"	5" x 6"	N/A	15.25" x 0.625" 37 lbs.	4 Reversible	N/A	Double	Gravity/ Self	N/A	42" x 49" x 35"	10" Foam-filled	21.2"	228 lbs.
CH4420	Briggs & Stratton® XR Pro 420cc	Recoil	4.50"	N/A	13" x 15"	5" x 5"	N/A	Cantilever 14" x 1" 49 lbs.	2 Reversible	N/A	Double	Gravity/ Self	N/A	75" x 51" x 44"	ST4.8-8	44"	466 lbs.
CH5627	Briggs & Stratton Vanguard® 627cc	Electric	5"	N/A	28" x 29"	6" x 6"	N/A	20" x 1.25" 140 lbs.	4 Reversible	N/A	Double	Gravity/ Self	N/A	82" x 57" x 88"	ST5.3-12	44"	900 lbs.
CH6627H	Briggs & Stratton Vanguard® 627cc	Electric	6"	N/A	33" x 36"	6" x 13"	N/A	Cantilever 26" x 1" 165 lbs.	4 Reversible	N/A	Triple	Hydraulic	DDC System	151" x 60" x 97"	ST205/75R14	50"	1,595 lbs.
CH8993H	Briggs & Stratton Vanguard® 993cc	Electric	9"	N/A	31" x 31"	9" x 9"	N/A	30" x 1.25" 275 lbs.	4 Reversible	N/A	Triple	Hydraulic	DDC System	167" x 79" x 102"	ST205/75R15	69"	2,252 lbs.
CH911DH	Kubota Diesel 1.1 Liter	Electric	9"	N/A	31" x 31"	9" x 9"	N/A	30" x 1.25" 275 lbs.	4 Reversible	N/A	Triple	Hydraulic	DDC System	173" x 79" x 100"	ST205/75R15	69"	2,509 lbs.

Specs will slightly vary for CE compliant models




PTO/3PT ATTACHMENTS

MODEL NAME	PTO INPUT POWER RANGE	MAX. CHIPPING CAPACITY	MAX. SHREDDING CAPACITY	CHUTE OPENING	CHUTE THROAT	SHREDDER CHUTE OPENING	ROTOR SIZE/WEIGHT	HEAT-TREATED CHIPPING BLADES	SHREDDING KNIVES	BANDED BELT DRIVE TYPE	FEED SYSTEM	HYDRAULIC CONTROLLER	DIMENSIONS (LXWXH)	WEIGHT
CH4554O	20 – 35 hp	4.50"	N/A	13" x 15"	4" x 5"	N/A	Cantilever 14" x 1", 49 lbs.	2 Reversible	N/A	Double	Gravity/Self	N/A	40" x 40" x 44"	361 lbs.
SC554O	25 – 45 hp	5"	3/4"	14" x 13"	7" x 11"	20" x 30"	19" x 0.75", 112 lbs.	4 Reversible	36	Double	Gravity/Self	N/A	43" x 43" x 44"	450 lbs.
CH554O	25 – 45 hp	5"	N/A	28" x 29"	6" x 7"	N/A	20" x 1.25", 140 lbs.	4 Reversible	N/A	Double	Gravity/Self	N/A	50" x 45" x 83"	600 lbs.
CH554OH	25 – 45 hp	5"	N/A	28" x 28"	6" x 7"	N/A	20" x 1.25", 140 lbs.	4 Reversible	N/A	Double	Hydraulic	DDC System	95" x 48" x 83"	1,074 lbs.
CH854O	35 – 60 hp	9"	N/A	31" x 31"	9" x 9"	N/A	30" x 1.25", 275 lbs.	4 Reversible	N/A	Triple	Gravity/Self	N/A	53" x 49" x 93"	886 lbs.
CH954OH	35 – 60 hp	9"	N/A	31" x 31"	9" x 9"	N/A	30" x 1.25", 275 lbs.	4 Reversible	N/A	Triple	Hydraulic	DDC System	98" × 52" × 93"	1,460 lbs.

Specs will slightly vary for CE compliant models

SPECIFICATIONS



STUMP GRINDERS

MODEL NAME	ENGINE	STARTER TYPE	ROTOR SIZE/ WEIGHT	GREENTEETH® CUTTING SYSTEM	BESTORQ® DRIVE TYPE	LOPRO™ POCKETS	CUTTING HEIGHT	DIMENSIONS (LXWXH)	TIRES	WEIGHT
SGACE	Briggs & Stratton® XR Pro 208cc	Recoil	10" diameter, 4,000 RPM, 21.60 lbs.	8 – 500 Series Green (Rocky)	BX50-X5 Single Band Belt with Centrifugal Clutch	4 Straight & 4 Offset	10" Above & 4" Below Grade	60" x 25" x 47"	13/500 x 6 13" diameter pneumatic	180 lbs.
SGPRO	Honda GX 390cc Cyclonic Air Filter	Recoil	14" diameter, 2,900 RPM, 34.50 lbs.	8 – Wearsharp™ (Dirt)	2BX59-X5 Double Band Belt with Centrifugal Clutch	4 Straight & 4 Offset	11" Above & 5" Below Grade	69" x 28" x 47"	13/500 x 6 13" diameter pneumatic	250 lbs.

888.625.4520
BEARCATPRODUCTS.COM

DEALER MAP

Our dealer network is vast and chances are there is one near you. The number of dealers is constantly growing as more and more are seeing the need for Crary® Bear Cat® equipment. Please be sure to check out the website for the latest dealer network and locate a dealer near you.

BEARCATPRODUCTS.COM/FIND-A-DEALER/

HEADQUARTERS


237 12th St. NW West Fargo, ND 58078

888.625.4520

service@bearcatproducts.com

NUMBER OF DEALERS IN EACH STATE

- 0 – 3
- 4 – 7
- 8 – 11
- 12 – 15
- 16 – 19
- 20 – 25
- 26 – 30
- 31 – 40
- 41+



CRARY BEAR CAT

888.625.4520
BEARCATPRODUCTS.COM



UNLEASH THE POWER™

WARNING: Cancer and Reproductive Harm
www.P65Warnings.ca.gov

CRARY BEAR CAT®

UNLEASH THE POWER.™

Specifications, descriptions and illustrative material in this literature is as accurate as known at the time of publication, but are subject to change without notice. Illustrations may include optional equipment and accessories and may not include all standard equipment.
©2025 Crary Bear Cat, a subsidiary of ECHO Incorporated. All Rights Reserved.
Printed in the U.S.A.
78743-00 • REV. 07 - 11/26

BEARCATPRODUCTS.COM // 888.625.4520

@CRARYBEARCAT

CRARY BEAR CAT®